



valid until: June 12, 2029

# Fraunhofer

## TESTED<sup>®</sup> DEVICE

Regiolux GmbH  
PREMP/625 4300 ET IPA  
**Report No. RE 2404-1517**

### Single product Particle Emission

DUPLICATE

### Qualification Certificate

This is to certify that the product mentioned above, provided by

**Regiolux GmbH**  
Königsberg, Germany

has been awarded a Fraunhofer certificate TESTED DEVICE bearing the report number RE 2404-1517.

The luminaire PREMP/625 LED 4300 840 ET IP54 IPA (color: traffic white) was assessed in compliance with ISO 14644-14. When operated under the specified test conditions, it is suitable for use in cleanrooms fulfilling the specifications of the following Air Cleanliness Class according to ISO 14644-1:

Test parameter(s)	Air Cleanliness Class
Structure-borne noise = approx. 50Hz	1
Overall result	

It should be noted that cleanrooms of Class 1 to 5 according to ISO 14644-1 have a higher filter occupancy, which may restrict the use of panel lighting systems. Cleanrooms with a horizontal displacement flow form an exception to this. The test result may be affected by the surrounding ceiling system. Please note: Transport damages, incorrect installation, aging behavior, corrosion etc. can influence the test result.

RE 2404-1517  
Report No. first document

Stuttgart, June 12, 2024  
Place, date of first document issued

--  
Report No. current document

--  
Place, current date

on behalf of   
Dr.-Ing. Frank Bürger, Project Manager Fraunhofer IPA



This document only applies to the named product in its original state and is valid for a period of 5 years from the date the first document was issued. The document can be verified under [www.tested-device.com](http://www.tested-device.com).

Detailed information and parameters of the test environment can be found in the Fraunhofer IPA test report.